


Product information

97 53 18 SB

KNIPEX Twistor®16

Self-Adjusting Crimping Pliers for wire ferrules
With rotatable die head




Self-adjusting crimping pliers for wire ferrules with rotatable crimp head

- Crimp head can be freely rotated 360°, with 8 locking positions
- Square crimp profile, high capacity range from 0.14 to 16 mm²
- Wire ferrules can be crimped from almost any working position
- Crimping pliers adjust automatically to different cross-sections
- Crimp opening accessible from both sides, extra-long wire ferrules can be fed in
- Crimping of Twin wire ferrules up to 2 x 6 mm² possible
- Repetitive, high crimping quality due to integral lock (self-releasing mechanism)
- Light and handy tool, manual force reinforced by toggle lever mechanism
- Chrome vanadium electric steel in special quality, oil-hardened

General

Article No.	97 53 18 SB
EAN	4003773082736
Pliers	chrome-plated
Head	chrome-plated
Handles	with multi-component grips
Weight	475 g
Dimensions	200 x 114 x 26 mm
Reach	no
RohS	no

Technical details



Applications	Wire ferrules
Capacity in square millimetres	0.14 — 16 mm ²
AWG	26 — 6
Number of crimping positions	1

Classification

eCl@ss 5.1.4	21040301
ETIM 5.0	EC000168
ETIM 6.0	EC000168
proficl@ss 6.0	AAA946c003
UNSPSC 13.1	27112147

technical change and errors excepted



Uniquely flexible: connectors can be inserted in the rotatable crimp head from almost any position



Twin wire ferrules up to 2 x 6 mm² can be crimped without adjustment





Crimp head can be rotated 360° for optimal accessibility, even in confined spaces