### L-Keys for Hexagon Socket Screws







**EAN:** 4013288188380 **Size:** 205x48x11 mm

Part number:05022204001Weight:142 gArticle number:950 SPKL HF MulticolourCountry of origin:CZ

Customs tariff 82041100

number:

L-keys for hexagonal socket screws

Hex-Plus allows socket head screws to live longer

Colour coded, easy-to-grip plastic sleeve, even at low temperatures

Hexagonal ballpoint on the long arm

• The holding function holds screws securely on the tool











High quality Wera L-keys with colour coded, convenient plastic sleeve. This means that the tool is quickly accessible and the ergonomic and pleasant handle is easy on the hands even at low temperatures. The Hex-Plus profile offers a larger contact surface within the screw head. This reduces the notching effects to a minimum and almost completely eliminates the risk of destroying the screw recess. The ball-end on the long arm allows for reliable working even in difficult installation situations. The holding function holds screws securely on the tool. The BlackLaser surface treatment provides outstanding surface protection, even against corrosion, and a long service life. The tools are quickly to hand thanks to the laser-engraved and thereby wear-resistant size markings on the L-keys.

### L-Keys for Hexagon Socket Screws



### L-Keys





We questioned the classic L-key design, since all too often the screw head recess is rounded out, meaning screws can no longer be tightened or loosened - and so the user finds the L-key slipping out of the recess. Wera Hex-Plus tools have a larger contact surface in the screw head. The notching effects are reduced and thereby the deformation of the screws. At the same time, as much as 20 % more torque can be applied.

### L-keys with retaining function for hexagon socket screws



The clamping of the screw is achieved by a flexible locking ball. The holding function is especially helpful in confined, hard-to-reach spaces, where there is no room for a second hand to secure the screw on the tool.

#### **Hex-Plus**



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

### Ball tip



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, "around-the-corner" screwdriving jobs.

# L-keys with a thermoplastic sleeve



L-keys made from circular material fit into the hand better and allow less strenuous work over a longer period. Additionally, the rubber sleeve provides a pleasant grip, particularly in applications at low temperatures. Colour coding and large stamp enable the desired L-key to be easily located. Moreover, the round material keys are more robust, particularly where smaller sizes are concerned.

## Take it easy tool finder system



Take it easy tool finder system - with profile and size colour-coding for quick and easy tool selection. Colour-coded system for hexagon drive screws (L-Keys, Zyklop bit sockets), external hex drive screws and nuts (Joker wrenches, Zyklop sockets and Zyklop bit sockets with holding function), and TORX® drive screws (L-Keys, Zyklop bit sockets).

Web link https://products.wera.de/en/l-keys\_l-keys\_for\_hexagon\_socket\_screws\_950\_spkl\_hf\_multicolour.html

Wera - 950 SPKL HF Multicolour 05022204001 - 4013288188380

# 950 SPKL HF L-key Multicolour, metric, with holding function, 8 x 195 mm

## L-Keys for Hexagon Socket Screws



## Further versions in this product family:

	0	A v		_ ^	
	mm	mm	mm	inch	inch
05022200001	3.0	123	21	4 7/8	27/32
05022201001	4.0	137	24	5 3/8	1
05022202001	5.0	154	27	6 1/16	1 1/16
05022203001	6.0	172	31	6 3/4	1 1/4
05022204001	8.0	195	37	7 11/16	1 7/16
05022205001	10.0	224	42	9	1 11/16