

## 855/4 TH bits, PZ 3 x 50 mm

### Bits for Pozidriv Screws



<b>EAN:</b>	4013288015082	<b>Size:</b>	50x7x6 mm
<b>Part number:</b>	05060065001	<b>Weight:</b>	11 g
<b>Article number:</b>	855/4 TH PZ	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82079030

- Suitable for Pozidriv screws
- Particularly hard for semi-hard materials
- Torsion design against premature wear
- 1/4" hexagon drive (Wera connecting series 4)
- Suitable for AEG, ARO, Atlas-Copco, Biax, Black & Decker, Bosch, Buckeye Tools etc.

High quality bits with Torsion zone - where kinetic energy is diverted from peak loads. This greatly extends the product service life. Extra-hard; 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

#### Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_the\\_range\\_of\\_bits\\_bits\\_for\\_pozidriv\\_screws\\_855\\_4\\_th\\_pz.html](https://products.wera.de/en/bits_holders_adaptors_the_range_of_bits_bits_for_pozidriv_screws_855_4_th_pz.html)

Wera - 855/4 TH PZ  
05060065001 - 4013288015082




Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## TH-Bits



TH-Bits are hard bits with a torsion zone. Torsion bits absorb the damaging peak torque loads in the torsion zone. This prevents premature wear and enhances the service life of the bits.

## Further versions in this product family:

			
		mm	inch
05060055001	PZ 1	50	2
05060060001	PZ 2	50	2
<b>05060065001</b>	<b>PZ 3</b>	<b>50</b>	<b>2</b>

## Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_the\\_range\\_of\\_bits\\_bits\\_for\\_pozidriv\\_screws\\_855\\_4\\_th\\_pz.html](https://products.wera.de/en/bits_holders_adaptors_the_range_of_bits_bits_for_pozidriv_screws_855_4_th_pz.html)

Wera - 855/4 TH PZ  
 05060065001 - 4013288015082

Wera Werkzeuge GmbH  
 Korzter Straße 21-25  
 D-42349 Wuppertal  
 Tel: +49 (0)2 02 / 40 45-0  
 E-Mail: [info@wera.de](mailto:info@wera.de)