Bit-Checks / Bit-Safes BiTorsion





















EAN: 4013288213969 **Size:** 175x95x21 mm

Part number:05136385001Weight:120 gArticle number:Bit-Check 12 BiTorsion 1 SB Country of origin:CZ

Customs tariff 82079030 number:

- Upright positionable, multi-component Bit-Check
- Rapidaptor holder for rapid bit change
- BiTorsion bits for long service life
- Tough viscous bits for universal use
- Take it easy tool finder: colour coding according to profile and size

Tough bits, for universal use. BiTorsion bits with elastic torsion zone into which kinetic energy is dissipated at load peaks. With a softer BiTorsion zone to prevent twisting of the bit tip under high loads. This significantly increases product life. Longest possible life with matching holder. Equipped with Rapidaptor technology which allows the bits to be picked up even without the sleeve being activated. The removal of the bit is achieved by simply pushing forward - for lightning-fast bit changes, even with just one hand. For mounting bits with 1/4" hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3. For mounting in a drill driver or for use in the chuck of the electronic drilling machine. The multi-component Bit-Check impresses with its low weight and maximum compactness, the soft material in the lower part of the Bit-Check ensures secure clamping of the bits, whilst maintaining easy removal. The profile and size of the bits can easily be recognized thanks to the Wera Take it easy tool finder: with its colour coding and easily visible size stamp.

Bit-Check 12 BiTorsion 1 SB, 12 pieces

Bit-Checks / Bit-Safes BiTorsion



Set contents:



889/4/1 K

05052502001 1 x 1/4" x 50 mm



851/1 BTZ PH

05056420001 1 x PH 1 x 25 mm 05056422001 2 x PH 2 x 25 mm



855/1 BTZ PZ

05056720001 1 x PZ 1 x 25 mm 05056722001 2 x PZ 2 x 25 mm



867/1 TORX® BTZ

At the workplace

The Bit-Checks can be positioned upright at the workplace so the tool is always quickly to hand.

BiTorsion Bits



BiTorsion bits are absolutely premium products. They have a softer BiTorsion zone which reduces the hardness of the shaft by about 20 % in comparison to the drive tip. This means that the peak loads that cause bit breakage and premature wear are absorbed in this zone - something which enhances the service life of the bits.

Rapidaptor holder



Rapid bit change without needing any additional tools. One-hand operation with a freely spinning sleeve for simplified guidance of the tool.

Chuck-all



The Rapidaptor quick-release chucks hold ¼" DIN ISO 1173-C 6,3 and E 6,3 as well as Wera series 1 and 4 bits.

Bit-Checks / Bit-Safes BiTorsion



Rapid-in and self-lock



The bit can be pushed into the adaptor without moving the sleeve. The lock is activated automatically as soon as the bit is applied to the screw. Bits are held securely and wobble-free.

Rapid-out




Simply push the sleeve forward to change the bit. The spring mechanism lifts the bit off the magnet and unlocks the tool. The bit can be easily removed. The rapid-out function makes it easy to remove even the smallest bits without extra tools.

Single-hand function



Every function of the Rapidator quick-release chuck, such as inserting or releasing bits, can be carried out with one hand. This is faster, more economical and more ergonomic. There are no unnecessary manoeuvres.

"Take it easy" tool finder system



The "Take it easy" Bit-Checks have bits with a sleeve which - from its colour (e.g. red = Phillips) and size designation - make it simple to access the right bit quickly.