



EAN:	4013288155177	Size:	65x70x17 mm
Part number:	05340260001	Weight:	99 g
Article number:	Bit-Check 7 PZ BiTorsion 1	Country of origin:	CZ
		Customs tariff number:	82079030

- Upright positionable, multi-component Bit-Check
- Rapidaptor holder for rapid bit change
- BiTorsion bits for long service life
- Extra-hard bits
- Take it easy tool finder: colour coding according to profile and size

Robust Bit-Check by Wera. Bit-Checks provide a quick overview of the tools available. Bits not needed are simply reinserted into the set and do not get lost. Simple transportation e.g. in the shirt pocket. Extra-hard bits. BiTorsion bits with an elastic Torsion zone - where kinetic energy is diverted from peak loads - and softer BiTorsion zone to prevent the bit tip from twisting under peak loads. This greatly extends the product service life. It provides the best possible durability together with the matching holder. Comes with Rapidaptor technology, which allows bits to be attached without any need to actuate the sleeve. The removal of the bit is simple, just by pushing the sleeve forward - for rapid bit change with just one hand. For the take-up of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3 and E 6.3. For insertion in the power screwdriver or for use in the chuck of an electric drill.

Web link

https://products.wera.de/en/bits_holders_adaptors_bit_sets_bit-checks__bit-safes_bitorsion_bit-check_7_pz_bitorsion_1.html

Wera - Bit-Check 7 PZ BiTorsion 1
05340260001 - 4013288155177

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Bit-Check 7 PZ BiTorsion 1, 7 pieces

Bit-Checks / Bit-Safes BiTorsion



Set contents:



889/4/1 K
05052502001 1 x 1/4" x 50 mm



855/1 BTH PZ
05056710001 1 x PZ 1 x 25 mm
05056712001 4 x PZ 2 x 25 mm
05056714001 1 x PZ 3 x 25 mm




At the workplace



The Bit-Checks can be positioned upright at the workplace so the tool is always quickly to hand.

BiTorsion Bits



BiTorsion bits are absolutely premium products. They have a softer BiTorsion zone which reduces the hardness of the shaft by about 20 % in comparison to the drive tip. This means that the peak loads that cause bit breakage and premature wear are absorbed in this zone - something which enhances the service life of the bits.

Rapidaptor holder




Rapid bit change without needing any additional tools. One-hand operation with a freely spinning sleeve for simplified guidance of the tool.

Chuck-all



The Rapidaptor quick-release chucks hold 1/4" DIN ISO 1173-C 6,3 and E 6,3 as well as Wera series 1 and 4 bits.

Rapid-in and self-lock




The bit can be pushed into the adaptor without moving the sleeve. The lock is activated automatically as soon as the bit is applied to the screw. Bits are held securely and wobble-free.

Rapid-out



Simply push the sleeve forward to change the bit. The spring mechanism lifts the bit off the magnet and unlocks the tool. The bit can be easily removed. The rapid-out function makes it easy to remove even the smallest bits without extra tools.

Single-hand function



Every function of the Rapidaptor quick-release chuck, such as inserting or releasing bits, can be carried out with one hand. This is faster, more economical and more ergonomic. There are no unnecessary manoeuvres.

Magnetic



Bitholders, magnetic, for easier application of the screw

Web link

https://products.wera.de/en/bits_holders_adaptors_bit_sets_bit-checks_bit-safes_bitorsion_bit-check_7_pz_bitorsion_1.html

Wera - Bit-Check 7 PZ BiTorsion 1
05340260001 - 4013288155177

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Bit-Check 7 PZ BiTorsion 1, 7 pieces

Bit-Checks / Bit-Safes BiTorsion



Web link

https://products.wera.de/en/bits_holders_adaptors_bit_sets_bit-checks__bit-safes_bitorsion_bit-check_7_pz_bitorsion_1.html

Wera - Bit-Check 7 PZ BiTorsion 1
05340260001 - 4013288155177

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de